

## AUTHOR INDEX

### LSC 2008, ADVANCES IN LIQUID SCINTILLATION SPECTROMETRY

- Aliabadi M. *See* Asgharizadeh F, 299
- Altitzoglou T. *See* Vasile M, 375
- Andriambololona R. *See* Möbius-Ramamonjisoa TL, 287
- Ansoborlo E. *See* Baglan N, 229
- Asgharizadeh F. *Determination of <sup>90</sup>Sr Concentration in Soil and Sediment Samples from Southern Shores of Iran Using a Sr Resin and LSC Method*, 299; *See* Khayatzadeh Mahani M, 203
- Ayromlou S. *See* Wallner G, 345
- Baglan N. *Organically Bound Tritium Determination*, 229
- Bartenbach M. *See* Möbius R, 397
- Belanová A. *Determination of Natural Radionuclides in Water from Slovakia Using LSC*, 71
- Benedik L. *See* Vasile M, 375
- Bernhard G. *See* Nebelung C, 193
- Bock H. *See* Breitenecker K, 421
- Bokori E. *See* Chmielewska I, 53
- Borrego E. *See* Mosqueda F, 145
- Breitenecker K. *Searching for Strontium, Americium, and Plutonium Isotopes in Contaminated Soils*, 421
- Bruzendorf J. *See* Nähle O, 87
- Buzziny M. *Combined LSC-Based Method for Radon in Air Measurements*, 1; *LSC-Based Approach for Radon in Soil Gas Measurements*, 7
- Cazzaniga MT. *See* Forte M, 305
- Cernohlawek N. *See* Landstetter C, 313
- Chaloosi M. *See* Khayatzadeh Mahani M, 203
- Chałupnik S. *Long-Term Stability of Quantulus LSC Counter*, 211; *Uncertainty Budget in Radium Measurements for the LSC Method*, 219; *See* Chmielewska I, 53; *See also* Schönhofer F, 125
- Chau ND. *Natural Radioactive Elements and Chemical Composition of Some Mineral Waters of Poland (Polish Carpathians, Carpathian Foredeep)*, 381
- Chmielewska I. *Application of Calcium Carrier to Avoid Losses of <sup>90</sup>Sr During the Chemical Preparation of Liquid Samples for Liquid Scintillation Spectrometry*, 53; *See* Schönhofer F, 125
- Collé R. *On the Standardization of <sup>209</sup>Po and <sup>210</sup>Pb*, 77
- Cossonnet C. *See* Baglan N, 229
- Costantino S. *See* Forte M, 305
- Croudace IW. *See* Warwick PE, 429
- Culp R. *Evaluation of Biobased Content ASTM Method 6866-06a: Improvements Revealed by Liquid Scintillation Counting, Accelerator Mass Spectrometry, and Stable Isotopes for Products Containing Inorganic Carbon*, 269
- Delporte C. *See* Minne E, 183
- Djuricic M. *See* Breitenecker K, 421
- Druteikienė R. *See* Gudelis A, 409
- Edler R. *The Use of Liquid Scintillation Counting Technology for the Determination of Biogenic Materials*, 261
- Eikenberg J. *Preface*, v; *See* Jäggi M, 31
- Faurescu D. *See* Faurescu I, 339
- Faurescu I. *Radiocarbon Measurements in Romanian Danube River Water*, 339
- Fouhal L. *See* Baglan N, 229
- Fourré E. *See* Baglan N, 229
- Forte M. *Quick Determination of <sup>210</sup>Pb in Drinking and Waste Waters*, 305
- Frelin A-M. *See* Hamel M, 13
- Furuta E. *Identification of Beta Nuclides Measured by Using Plastic Scintillator and Liquid Scintillation Counter*, 19
- Garcia-Tenorio R. *See* Hurtado S, 155
- Ghannadi Maragheh M. *See* Khayatzadeh Mahani M, 203; *See also* Asgharizadeh F, 299
- Glavič-Cindro D. *See* Kožar Logar J, 241
- Gomes AR. *See* Madruga MJ, 353
- Granier G. *See* Baglan N, 229
- Grzadzeil D. *See* Gudjónsson GI, 361
- Gudelis A. *Use of Non-Destructive and Destructive Analyses for Radionuclide Determination in Aqueous Samples from the Ignalina Nuclear Power Plant Drainage System*, 409; *On Determination of Radiocarbon Leakage from a Shallow-Land Radioactive Waste Repository*, 415
- Gudjónsson GI. *A Study of the Simple Open-Vial Liquid Scintillation Method for Measurement of Radon in Air*, 361; *See* Theodórsson P, 253
- Gvozdaite R. *See* Gudelis A, 409; *See also* Gudelis A, 415
- Hallez S. *See* Minne E, 183
- Hamel M. *Novel 1,8-Naphthalimides for Fast Neutron/Gamma Discrimination in Liquid Scintillators*, 13
- Hanste U-M. *See* Saxén R, 279
- Henry A. *See* Baglan N, 229
- Herincs E. *See* Wallner G, 345
- Heynen F. *See* Minne E, 183
- Hurtado S. *Monte Carlo Simulation of a Liquid*

- Scintillation Counter Using GEANT4 Code, 155
- Jäggi M. *Method for  $^{55}\text{Fe}$  and  $^{63}\text{Ni}$  Determination by LSC in Radioactive Waste*, 31
- Jähnigen P. *See* Nebelung C, 193
- Jamnik B. *See* Kožar Logar J, 391
- Jones RL. *See* Piraner O, 41
- Katzlberger C. *See* Landstetter C, 313
- Khanchi AR. *See* Khayatzadeh Mahani M, 203
- Khayatzadeh Mahani M. *Application of Chemo-metrics for Simultaneous Determination of Thorium and Uranium in Aqueous Samples by Liquid Scintillation*, 203; *See also* Asgharizadeh F, 299
- Kim SB. *See* Baglan N, 229
- Komosa A. *Study on Quenching Effects for  $^{14}\text{C}$  and  $^3\text{H}$  Measurement Parameters Using a Quantulus Spectrometer*, 161; *Study on Migration Rate of Beta-Radiating  $^{241}\text{Pu}$  in Soils Using Liquid Scintillation Spectrometry*, 321
- Kossert K. *Improved Techniques for the Activity Standardization of  $^{109}\text{Cd}$  by Means of Liquid Scintillation Spectrometry*, 97; *See* Nähle O, 87
- Kozak K. *See* Gudjónsson GI, 361
- Kožar Logar J. *Establishment of Low-Level Tritium Laboratory*, 241; *Tritium Concentrations in Waters of Ljubljansko Barje, Slovenia*, 391
- Krivošein K. *See* Gudelis A, 409
- Landstetter C. *Determination of  $^{90}\text{Sr}$  in Milk in Austria*, 313
- Laureano-Perez L. *See* Collé R, 77
- Lindauer H. *See* Vesely A, 435
- Llauradó M. *See* Zapata-García D, 59
- Lopes I. *Application of Liquid Scintillation Counting Technique to the Determination of  $^{90}\text{Sr}$  in Milk Samples*, 331
- Lukoševičius S. *See* Gudelis A, 409; *See also* Gudelis A, 415
- Lukšienė B. *See* Gudelis A, 409
- Madruga MJ. *Determination of Tritium in Waters by Liquid Scintillation Counting*, 353; *See* Lopes I, 331
- Manjon G. *See* Hurtado S, 155
- Merešová J. *See* Belanová A, 71
- Mielnikow A. *See* Chałupnik S, 211; *See also* Chałupnik S, 219
- Minne E. *Effect on  $^{90}\text{Sr}$  Determination Resulting from a Possible Overestimation of the External Standard Quench Parameter on Quantulus 1220<sup>TM</sup>*, 183
- Minowa H. *Cherenkov Counting of Carbon-14 Using a Translucent Ceramic with High Refractive Index*, 119
- Mokili M. *See* Baglan N, 229
- Möbius R. *Novel LS Methods for Natural Radionuclides in the Oil and Gas Industry*, 397
- Möbius S. *See* Möbius R, 397
- Möbius-Ramamonjisoa TL. *Liquid Scintillation Methods for NORM in Madagascar*, 287
- Mosqueda F. *Low-Level Measurement of  $^{226}\text{Ra}$  via  $^{222}\text{Rn}$  in Natural Water by LSC*, 145
- Nähle O. *Study of Light Emission Processes for the Design of Liquid Scintillation Counters*, 87; *See* Kossert K, 97
- Nebelung C. *Simultaneous Determination of Beta Nuclides by Liquid Scintillation Spectrometry*, 193
- Noakes JE. *Preface*, v; *Liquid Scintillation Counting International* ([www.lsc-international.org](http://www.lsc-international.org)): *A New Online Resource*, 251; *See* Culp R, 269
- Normand S. *See* Hamel M, 13
- Nowak J. *See* Chau ND, 381
- Olivier A. *See* Baglan N, 229
- Ott O. *See* Kossert K, 97
- Pates JM. *See* Mosqueda F, 145
- Piekarz M. *See* Komosa A, 321
- Piraner O. *Urine Gross Alpha/Beta Analysis by Liquid Scintillation Counting for Terrorism Preparedness*, 41
- Rajchel L. *See* Chau ND, 381
- Romanchenko M. *See* Buzinny M, 7
- Rusconi R. *See* Forte M, 305
- Rüthi M. *See* Jäggi M, 31
- Sakhno V. *See* Buzinny M, 7
- Salimi B. *See* Khayatzadeh Mahani M, 203; *See also* Asgharizadeh F, 299
- Salonen L. *Interference from  $^{210}\text{Pb}$  and Its Progenies in Calibrating Direct LSC Method for  $^{222}\text{Rn}$  in Drinking Water*, 109; *Performance of Two-Phase and Homogenous Sample Compositions in Measuring  $^{222}\text{Rn}$  in Drinking Water*, 133
- Saxén R. *An Oxidizer/LSC Method for the Determination of  $^{14}\text{C}$  in Foodstuff Samples*, 279
- Schönhofer F. *Natural Radionuclides in Mineral Waters Sold in Upper Silesia, Poland: Their Measurement, Doses, and Compliance with Regulations*, 125
- Sequeira MM. *See* Madruga MJ, 353
- Sgorbati G. *See* Forte M, 305
- Sigurdsson K. *See* Gudjónsson GI, 361
- Simic V. *See* Hamel M, 13
- Simpson BRS. *See* van Wyngaardt WM, 173
- Šlepecka K. *See* Komosa A, 161
- Smyth S. *See* Temple S, 27; *See also* Thomson J, 47

- Spasova Y. *See* Vasile M, 375
- Stefanescu I. *See* Faurescu I, 339
- Steininger R. *See* Breitenecker K, 421
- Takiue M. *See* Minowa H, 119
- Temple S. *GoldiSol: A New Toluene-Free and Methanol-Free Solubilizer*, 27; *See* Thomson J, 47
- Theodórsson P. *Ultra-Stable Single-Phototube Liquid Scintillation System for Radiocarbon Dating*, 253; *See* Gudjónsson GI, 361
- Thomson J. *ProSafe: The Next Generation of LSC Cocktails Formulated to be Nonyl Phenol Ethoxylate-Free*, 47; *See* Temple S, 27
- Trombitas H. *See* Vesely A, 435
- Urbanc J. *See* Kožar Logar J, 391
- Vaca F. *See* Mosqueda F, 145
- Vagner I. *See* Faurescu I, 339
- Vajda N. *Preface*, v
- van Wyngaardt WM. *Standardization of Sulphur-35 by the TDCR Efficiency Calculation Technique*, 173
- Varlam C. *See* Faurescu I, 339
- Vasile M. *Radiochemical Separation and Determination of  $^{228}\text{Ra}$  in Mineral Waters by Low-Level Liquid Scintillation Counting*, 375
- Varti V-P. *Optimizing the Counting Conditions for Carbon-14 for the Sample Oxidizer-Liquid Scintillation Counter Method*, 293
- Vesely A. *Determination of Beta Emitters in Materials from Research Reactor Decommissioning*, 435; *See* Breitenecker K, 421
- Villa M. *See* Mosqueda F, 145; *See also* Hurtado S, 155; *See also* Breitenecker K, 421
- Vršková M. *See* Belanová A, 71
- Wallner G. *Determination of Natural Radionuclides in Drinking Water from the Waldviertel, Austria*, 345; *See* Schönhofer F, 125; *See also* Wallova G, 367
- Wallova G. *Isolation and Measurement of Strontium-90 and Lead-210 in Environmental Samples Using a Strontium-Specific Resin and Liquid Scintillation Counting*, 367
- Warwick PE. *Measurement of  $^{113\text{m}}\text{Cd}$  in Irradiated Cadmium Shielding Using Liquid Scintillation Counting*, 429
- Watanabe Y. *See* Furuta E, 19
- Wätjen U. *See* Vasile M, 375
- Yokota S. *See* Furuta E, 19
- Yoshizawa Y. *See* Minowa H, 119
- Zapata-García D. *Study of Instrumental Parameters Affecting the Simultaneous Measurement of Gross Alpha and Gross Beta Activities in Water Samples*, 59